

Power Thermistor for Limiting Inrush Current (NTC Thermistor)

MF72-SCN10D-7

Features

◆ RoHS & Halogen Free (HF) compliant

Body size: Φ7mm

Radial lead resin coated

High power rating

Wide resistance range

Cost effective

◆ Operating temperature range: -40~+200°C

Agency recognition: UL /cUL/RoHS



Recommended Applications

Switch mode power supply

◆ Electric motor

Transformer

◆ Adapter

Projector

Halogen lamp

♦ LED driver circuit

Storage Conditions of Products

◆ Storage Conditions:

Storage Temperature: -10°C ~ +40°C.

Relative Humidity: ≤ 75%RH.

Keep away from corrosive atmosphere and sunlight.

Period of Storage: 1 year.

Part Number Code

MF72	SCN	10D	-	7
(1)	(2)	(3)		(4)

(1) MF72: MF72 Series.

(2) SCN: Socay NTC.

(3) 10D: Zero Power Resistance at 25° C(R₂₅): $10=10\Omega$.

(4) Body Size: 7=Φ7mm.




Power Thermistor for Limiting Inrush Current (NTC Thermistor)

MF72-SCN10D-7

Electrical Characteristics

Part Number	Resistance at 25℃ ±20%	Max. Permissible Working Current	Resistance under Load (mΩ)	Dissipation Factor	Thermal Time Constant	Maximum permissible capacitance @240Vac
	$R_{25}(\Omega)$	I _{max} (A)	(mΩ)	δ(mW /℃)	τ(Sec.)	C(uF)
MF72-SCN10D-7	10	1	616	9	27	78

Maximum Power Rating (Pmax)






Power Thermistor for Limiting Inrush Current (NTC Thermistor)

MF72-SCN10D-7

Structure and Dimensions (Unit: mm)



D max	T max	P max	F	Н	L _{short} /L _{long}	d	Type
8.0	4.5	3.0	5±0.5		7±1/20±1	0.55	S
8.0	4.5	3.0	5±0.5	14.5±1	4±1/20±1	0.55	K/V/D

Note: Length of Pin (L) can be customized.

Packing Specifiction

Part Number	Type of L	Quantity (pcs/bag)
MF72-SCN10D-7	Lshort	1000
	L _{long}	500

Reliability

Item	Test conditions / Methods	Test Result	
Tensile Strength of Terminals	Fasten body with a Load Applied to each lead 3.0Kg for 1sec.	No break out and damage	
Bending Strength of Terminals	Fixed body hand 1.0kg on one terminal bend 90 then back again oppsite.	No break out and damage	
Solder Ability When the Lead wire was dipped into bath 0f 235 \pm 5 $^{\circ}$ C for 3 seconds aft immersion in 25% rosin flux the solder ability ratio of lead wire surface should more than 95%.		More than 95% solder ability	
Temp. Cycle Test	Temp. Cycle Test $ (-40^{\circ}\text{C} \times \rightarrow +25^{\circ}\text{C} \times 3\text{min}) \times 5\text{Cycles} $ $ (-85^{\circ}\text{C} \times \rightarrow +25^{\circ}\text{C} \times 3\text{min}) \times 5\text{Cycles} $		
Humidity Test	Humidity Test 45°C 95%RH×1000 hours		
Load Life	Load Life 6 AMP×1000 hours		
Insulation Test	Insulation Test DC 700V		

3/3